

	Typ	L #	Hits	S arch Text
1	BRS	L1	1483	(second plural\$6 two various many additional) near2 (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)
2	BRS	L2	732	1 and (processor microprocessor controller CPU ECU computer)
3	BRS	L3	457	2 and (voltage)
4	BRS	L4	55	3 and (driveability index)
5	BRS	L5	33	4 and (combustion)
6	BRS	L6	20	5 and (injector)
7	BRS	L7	8	6 and (run)
8	BRS	L8	18	2 and (driveability)
9	BRS	L9	38	(driveability) near2 (index)
10	BRS	L10	28	9 and (processor microprocessor controller CPU ECU computer)
11	BRS	L11	1	10 and (second plural\$6 two various many additional) near2 (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)
12	BRS	L12	18	10 and (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)
13	BRS	L13	7	12 and (voltage)
14	BRS	L14	5	13 and (combustion)
15	BRS	L15	4	14 and (run)
16	BRS	L16	29255	(volatility)
17	BRS	L17	10	16 and (second plural\$6 two various many additional) near2 (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)
18	BRS	L18	7	17 and (processor microprocessor controller CPU ECU computer)

	DBs	Time Stamp	Comments
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:22	
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:23	
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:24	
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:17	
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:24	
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:21	
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:18	
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:18	
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:18	
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:19	
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:20	
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:21	
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:23	
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:24	
18	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:27	

	Type	L #	Hits	Search Text
19	BRS	L19	309883	(volatil\$6 driveab\$7)
20	BRS	L20	118	19 and (second plural\$6 two various many additional) near2 (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)
21	BRS	L21	90	20 and (processor microprocessor controller CPU ECU computer)
22	BRS	L22	61	21 and (voltage)
23	BRS	L23	42	22 and (combustion)
24	BRS	L24	20	23 and (injector)
25	BRS	L25	20	24 and (fuel)
26	BRS	L26	8	25 and (run)
27	BRS	L27	356	73/113.ccls.
28	BRS	L28	8	27 and (volatil\$6 driveab\$7)
29	BRS	L29	2	"6564624"
30	BRS	L30	1801	(fuel liquid) near2 (driveabilit\$4 drivabliit\$4 volatil\$4)
31	BRS	L31	543	30 and (processor microprocessor controller CPU ECU computer)
32	BRS	L32	5	31 and (second plural\$6 two various many additional) near2 (oxygen) near2 (sens\$6 detect\$6 transducer measur\$6)

	DBs	Time Stamp	Comments
19	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:26	
20	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:28	
21	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:24	
22	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:24	
23	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
24	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
25	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
26	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
27	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:25	
28	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:26	
29	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:27	
30	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:27	
31	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:27	
32	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 12:28	

	Error Definition	Errors
19		0
20		0
21		0
22		0
23		0
24		0
25		0
26		0
27		0
28		0
29		0
30		0
31		0
32		0

	Error Definition	Errors
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0
16		0
17		0
18		0